



Machinery Parts Industry Co., Ltd.



3.346 Inch | 85 Millimeter x 5.118 Inch | 130 Millimeter x 0.866 Inch | 22 Millimeter SKF N 1017 KTN9/SPVR522 Cylindrical Roller Bearings

Bearing No. N 1017 KTN9/SPVR522

N 1017 KTN9/SPVR522 Bearing 2D drawings and 3D CAD models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	1.06
EAN	7316577727534
Product Group	B04270
Bore Profile	Tapered
Cage Material	Polymer
Precision Class	Special Precision
Number of Rows of Rollers	Single Row
Separable	Outer Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C1-Tight
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	2 Rib Inner Ring Plain Outer Ring High Precision Bearing Cage on Inner Ring OD
Long Description	85MM Bore; Tapered Bore Profile; 130MM Outside



Machinery Parts Industry Co., Ltd.

	Diameter; 22MM Width; Polymer Cage Material; Special Precision; Single Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C1-Tight In
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	N 1017 KTN9/SPVR522
Weight / LBS	2.337
B	0.866 Inch 22 Millimeter
d	3.346 Inch 85 Millimeter
D	5.118 Inch 130 Millimeter
bore diameter:	85 mm
precision rating:	Not Rated
outside diameter:	130 mm
maximum rpm:	8500 RPM
overall width:	22 mm
cage material:	Polyamide
flanges:	(2) Inner Ring
finish/coating:	Uncoated
bore type:	Straight
closure type:	Open
number of rows:	1
outer ring width:	22 mm
internal clearance:	C0
fillet radius:	1.1 mm
dynamic load capacity:	73.7 kN
series:	N10
static load capacity:	102 kN



Machinery Parts Industry Co., Ltd.