



Machinery Parts Industry Co., Ltd.



LSE207BRHFATL Bearing 2D drawings and 3D CAD models

TIMKEN LSE207BRHFATL Flange Block Bearings

Bearing No. LSE207BRHFATL

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	14.63
EAN	0013992045065
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	12 Millimeter
Relubricatable	Yes
Insert Part Number	LSE207BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Round Flange Block; 2-7/16" Bore; 8.6" Bolt Circle; 2 Piece Split; Clamp Collar Mount; Cast Iron; Cylindrical Roller Bearing; 2.362" Length Thru Bore; 6.1" Bolt Spacing; Rel



Machinery Parts Industry Co., Ltd.

Other Features	Single Row Wide Inner Ring Light Duty
Category	Flange Block Bearings
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.timken.com
Weight / LBS	32.23
Nominal Bolt Circle Diameter Round	8.6 Inch 218 Millimeter
D	2.362 Inch 60 Millimeter
Bolt Spacing	6.1 Inch 154.9 Millimeter
d	2.438 Inch 61.925 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Shaft Size	2-7/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Round Flange
Series Type	Light Series
Bolt Size	4 x M12
Bearing - Housing - Seal	LSE207BRHATL
Bearing - Housing - Seal UPC	013992038661
Bearing UPC	013992025883
Dimension T	10.2 in
Dimension R	8.6 in
Dimension P	0.6 in
Dimension H	2.6 in
Dimension N	6.571 in



Machinery Parts Industry Co., Ltd.

Dimension V	0.1 in
Dimension L	4.6 in
Cr - Dynamic Load Rating	23155 lbf
Cor - Static Load Rating	25853 lbf
Ca - Axial Load Rating	1213.95 lbf
Maximum Speed	3940 rpm
Note	This product line was formerly known as "Revolvo"